



Struktol Company of America

201 E. Steels Corners Road • P. O. Box 1649 • Stow, Ohio 44224-064
Phone (330) 928-5188 • Fax (330) 928-0013
www.struktol.com • customerservice@struktol.com

TECHNICAL DATA

STRUKTOL® TR 229

BLENDING AID COMPATIBILIZER WITH PROCESSING LUBRICANT

COMPOSITION

Proprietary blend.

PROPERTIES	TYPICAL VALUES
Appearance	Yellowish pastilles or powder
Dropping point (°C)	46 - 58
Specific Gravity	1.01
Physiological Behavior	Refer to safety data sheet
Storage Stability	At least 2 years under normal storage conditions
Packaging	55 lb. bag

RECOMMENDATIONS FOR APPLICATION

STRUKTOL® TR 229 is a blend of compatibilizer and processing lubricant that was designed for use in Nylon 6 and 6,6 compounds as well as for PC/ABS blends. The compatibilizer makes it effective at binding filler materials to the polymer system by virtue of its adhesive nature while the lubricant part provides improved processing characteristics of filled and unfilled polyamides and PC/ABS blends. Typical improvements in processing are improved mixing and reduced die build-up (“die bearding”) and die drool. For injection molding applications, processors can expect to see better flow and mold filling vs. typical lubricants such as metallic stearates, montan waxes or amide waxes.

STRUKTOL® TR 229 is excellent for use in recycling of Nylon 6 and 6,6 and PC, PC/ABS.

DOSAGE

0.6 – 3.5%

FDA STATUS

STRUKTOL® TR 229 is sanctioned for use by the Food and Drug Administration (FDA) in a number of applications, listed in the following sections of Title 21 of the Code of Federal Regulations:

172.280	Terpene resin	177.1200	Cellophane
172.615	Chewing gum base	177.1210	Closures with sealing gaskets for food containers
175.105	Adhesives	177.1580	Polycarbonate resins
175.125	Pressure-sensitive adhesives	177.2420	Polyster resins, cross-linked
175.300	Resinous and polymeric coatings	177.2600	Rubber articles intended for repeated use
175.320	Resinous and polymeric coatings for polyolefin films	178.3930	Terpene resins
176.170	Components of paper and paperboard in contact with aqueous and fatty foods	178.2010	Antioxidants and/or stabilizers for polymers
176.210	Defoaming agents used in the manufacture of paper and paperboard		

(07/15/2013)JMB/rca

The information herein is believed to be reliable, but is presented without guarantee or warranty, express or implied. Nothing contained herein is to be construed as a recommendation for any use which is in violation of an existing patent.